

	MATERIAL SAFETY DATA SHEET	Page : 1
		Revision nr : 2
		Date : 16 / 7 / 2010
		Supersedes : 17 / 9 / 2009
SPRAYING OIL		C0170-C0115-UK



1. Identification of the product and the company

Name	SPRAYING OIL.
Chemical description active ingredient(s)	: Mineral oil.
Product identification	: Liquid.
Company identification	: CERTIS UK
	1b Mills Way Boscombe Down Business Park, Amesbury Wiltshire. SP4 7RX United Kingdom Telephone 1980 676500 Fax 1980 626555 E-mail: certis@certiseurope.co.uk
Anti-poison center - Tel.	: For advice on medical emergencies, fires, spillages or chemical hazards ONLY - phone 0870 190 6777. For further advice for medical professionals - The National Poisons Information Service: Tel: 0870 600 6266 (UK only) or Dublin Tel: 00353 1379 964/379966. For further advice for veterinary surgeons: 020 7635 919. Certis Carechem24 multilingual 24 hours emergency number : +44 (0) 870 190 6777
Print date	: 3 / 8 / 2010

2. Hazards identification

Human health hazards	: Harmful if swallowed. Irritating to eyes, respiratory system and skin.
-----------------------------	--

3. Information on ingredients

Substance/preparation	: Preparation
Other information	: This product is harmful. See chapter 16 for full text of R phrases
Composition	: Below mentioned is the active component.

Substance name	Value(s)	CAS nr	EINECS nr	EC index	CERTIFICATE
Refined mineral oil	: 71 % w/w	-	-	-	Xn: R22 Xi: R36/37/38

4. First aid measures

First-aid measures	
- Inhalation	: Move the patient to fresh air. Seek medical attention if ill effect develops.

CERTIS UK

1b Mills Way
 Boscombe Down
 Business Park, Amesbury
 Wiltshire. SP4 7RX
 United Kingdom
 Telephone 1980 676500



MATERIAL SAFETY DATA SHEET

Page : 2

Revision nr : 2

Date : 16 / 7 / 2010

Supersedes : 17 / 9 / 2009

SPRAYING OIL

C0170-C0115-UK

4. First aid measures (continued)

- Ingestion : Wash out mouth with water. Seek medical attention immediately.
- Skin contact : Remove contaminated clothing. Wash skin with water and soap.
- Eye contact : Rinse immediately with plenty of water. After 1 - 2 initial minutes remove contact lenses if present. Rinse again with plenty of water. Continue to rinse with the eyelid wide open for at least several minutes.

5. Fire - fighting measures

- Suitable extinguishing media** : Carbon dioxide. Dry chemical powder. Alcohol foam. Water.
- Protection of fire fighters** : Wear suitable protective clothing. Use breathing apparatus.

6. Accidental release measures

- Personal precautions** : Wear proper protective equipment. See also section 8
- Environmental precautions**
- Methods for cleaning up** : Prevent dispersion. Clean up any spills as soon as possible, using an absorbent material to collect it. Absorb remainder in sand or inert material. Collect spills and put it into appropriated container. Use suitable disposal containers. Clean the polluted area with detergent and water.

7. Handling and storage

- Handling** : No special measures required. when handling in sealed containers.

8. Exposure controls / personal protection

- Personal protection** : Wear protective gloves & face shield.

9. Physical and chemical properties

- Physical state** : Liquid. Petroleum
- Colour** : White
- pH value** : No data available.
- Density [kg/mE3]** : No data available.
- Flash point [°C]** : Not flammable.
- Melting point [°C]** : Not applicable.
- Boiling point [°C]** : No data available.
- Vapour pressure** : No data available.
- Explosion limits** : No data available.
- Partition coefficient:** : No data available.

10. Stability and reactivity

- Stability** : Stable under normal circumstances.

CERTIS UK

1b Mills Way
Boscombe Down
Business Park, Amesbury
Wiltshire. SP4 7RX
United Kingdom
Tel: +44 (0)1265 870500



MATERIAL SAFETY DATA SHEET

Page : 3

Revision nr : 2

Date : 16 / 7 / 2010

Supersedes : 17 / 9 / 2009

SPRAYING OIL

C0170-C0115-UK

11. Toxicological information

Toxicity information : No data available.

12. Ecological information

Ecotoxicity : No data available.

13. Disposal considerations

Waste-disposal procedures : Dispose only by approved contractors.

14. Transport information

Free for transport regulations.

15. Regulatory information

EU Classification : This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002:CHIP 3.

Hazard symbol(s) : Xn , Harmful

Warning phrases

R Phrase(s) : R22 : Harmful if swallowed.
R36/37/38 : Irritating to eyes, respiratory system and skin.

Safety phrases

S Phrase(s) : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S35 : This material and its container must be disposed of in a safe way.
S37/39 : Wear suitable gloves and eye/face protection.

Symbol(s) : Harmful.

16. Other information

Certis code : TW/WA

Explanation of R-phrases used in section 3 : R22 : Harmful if swallowed.
R36 : Irritating to eyes.
R37 : Irritating to respiratory system.
R38 : Irritating to skin.

Sources of key data used : - Certis Europe Expert Team (CEET)

Trade name(s) : SPRAYING OIL

The contents and format of this MSDS are in accordance with EC Commission Directive 93/112/EEC, 99/45/EC, 2001/58/EC and Reach Regulation 1907/2006.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

CERTIS UK

1b Mills Way
Boscombe Down
Business Park, Amesbury
Wiltshire. SP4 7RX
United Kingdom
Tel: +44 (0)1265 870500